



EPI EPM Series



Dip Switches





EPI-04-V



P.C.B. LAYOUT



EPI-08-V





NOTE:

1. ALL DIMENSIONS ARE IN MILLIMETERS, BRACKETED DIMENSIONS ARE IN INCHES.
2. GENERAL TOLERANCES ± 0.20 mm.
3. MATERIAL & * : SEE SPECIFICATION.
4. P: Pitch = 2.54mm [0.100]





Table 1

PROD. NO.	NO. OF POS.	DIM. A	DIM. B
EPI(R)-10-V	10	25.30 [.996]	22.86 [.900]
EPI(R)-08-V	8	20.22 [.796]	17.78 [.700]
EPI(R)-06-V	6	15.14 [.596]	12.70 [.500]
EPI(R)-04-V	4	10.06 [.396]	7.62 [.300]
EPI(R)-02-V	2	4.98 [.196]	2.54 [.100]



SCHEMATIC(TYP.)



EPM-06-V



EPM-10-V



PROD. NO.	NO. OF POS.	DIM. A	DIM. B
EPM(R)-10-V	10	25.30 [.996]	22.86 [.900]
EPM(R)-08-V	8	20.22 [.796]	17.78 [.700]
EPM(R)-06-V	6	15.14 [.596]	12.70 [.500]
EPM(R)-04-V	4	10.06 [.400]	7.62 [.300]
EPM(R)-02-V	2	4.98 [.196]	2.54 [.100]

